




1		2		3		4	
版本 Rev No.		描述 Description		日期 Date		姓名 Name	






Option "K": full key 14 x 9 x 90



Option "U": baseplate

Signal Connector Type: M23 Size 1-17 Pin			
Pin	EnDat Code: C, M, N, U, Q	Resolver Code: R	SinCos Code: S
1	A+	n.c.	A+
2	A-	n.c.	A-
3	DATA+	n.c.	I+(Index)
4	PTC+	SIN-, 1 cr	SIN-(C-), 1 cr
5	CLOCK+	COS+, 1 cr	Cos+(D-), 1 cr
6	n.c.	COS-, 1 cr	Cos-(D+), 1 cr
7	0 V	RESEX+	0 V
8	KTY84+**	KTY84+**	PTC+
9	KTY84-**	KTY84-**	PTC-/KTY-**
10	+Vcc	RESEX-	+Vcc(5Vdc)
11	B+	n.c.	B+
12	B-	n.c.	B-
13	DATA-	n.c.	I-(Index)
14	CLOCK-	SIN+, 1 cr	SIN+(C-), 1 cr
15	0V sense	n.c.	0V sense
16	Vcc sense	PTC+	+Vcc sense
17	PTC-	PTC-	KTY+**



材质 Material						项目 Project-Prod.item/Instrument					
处理 Treatment						U31330F103					
几何公差 GB/T1184 (ISO 2768-2) Geometrical tolerance		K		未注倒角 Undimensioned chamfers		描述 Description					
未注公差 GB/T1804 (ISO 2768-2) Linear tolerance		m		1x45°		MOTOR ASSEMBLY					
角度公差 GB/T1184 (ISO 2768-1) Angular tolerance		±1°		未注圆角 Undimensioned radii		电机总装					
0.5 +3	>3+ 6	>6+ 30	>30+ 120	>120 +400	>400+ 1000	>1000 +2000	>2000 +4000				
±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2				
年,月,日 Date		名字 Name		 NINGBO Ltd. 宁波菲仕电机技术有限公司		图号 Drawing No.		版本 Rev	A		
设计 Designed		12/11/09				PMC		51566N-0-A-3		比例 Scale	
绘图 Drawn		21/09/12				PMCNB		重量 Kg Mass		数量 Qty	1:5
校对 Checked								171.476		页码 Sheet	1/1